TOPLEADER

A professional supplier of DC electric Aircon. system for trucks, construction & agriculture machinery and other specialty vehicle markets



Outdoor unit



Indoor unit

Model NO.: DL-2600FUB

DC24V Under Bunk A/C System Electric APU- cools when engine is off, no fuel consumed

Key Benefits

* 100% powered by 12V battery, cools when engine on or off
* DC electric compressor used, strong cooling power, with 7500BTU cooling in accordance with JIS standard
* Soft started, no flash current, safety and stable
* Double battery protection, no damage to battery
* Split mounted, no drills on the cabin roof
* R-134a pre-filled, safety and environment friendly

Description

1. Standalone air conditioning for the NIGHT-TIME and DAY-TIME use working with the engine switched OFF and ON, maintaining the temperature during the day.

2. This unit is used mainly to cool down the driver cabin during the driver's overnight rest periods and during loading and unloading operations.


3. Wide range of applications: Light & heavy duty trucks, construction machinery, agricultural machinery, mobile workshops, and any other equipment.


Product specifications


Model No.	DL-2000FUB
Rated input voltage	DC24V
Working voltage range	DC21.5-32V
Rated cooling capacity(*)	2600W / 10000BTU
Rated input power(*)	912W
Rated current consumptiont(*)	38A
Current draw range	10-45 A
Airflow	300CFM
Working refrigerant	R-134a (630g)
Compressor Type	24V electric compressor
Weight	7kg / 15lb(Interior unit) 25kg / 55lb (Exterior unit)
Dimensions(L*W*H)	682*465*192mm (outdoor unit) 534*315*222mm (Indoor unit)

1. (*) In accordance with JIS standard, test conditions: outside temperature 35ºC, return temperature 27 ºC
2. Being product improvement or updates, parameters will be changed without prior notice
3. The AC is designed for T1 climet type(21ºC~43ºC).

Drawings of Outdoor Unit









Outdoor unit dimension:681*465*192(L*W*H)

Installation size: 418*505mm

Drawings of Indoor Unit





Indoor unit dimension:534*315*222(L*W*H)

Contact us

Guangdong Topleader Automotive Air Conditioning Co. Ltd.

Add: 31 Hongyuan Industrial Zone,DongpingRoad,Tianwei Village,Changping Town,
Dongguan city,Guangdong China 523570

Tel: +86 18702540334
Fax: +86-769 8386 5675

Email: sales07@topleadergroup.com